





## UELCOME NUOVAAURELIA

Nuova Aurelia enables an unparalled smoother workflow thanks to its reactive technology, resulting in high-quality in-cup consistency.

This means happier baristas, happier customers, and improved productivity.

Perfect for coffee and no-coffee oriented chains, roasters, restaurants and hotels.

Nuova in Italian means "new", and this is the word that has always expressed the search for innovation, that is so fundamental to Nuova Simonelli.
Nuova Aurelia stands out as the masterpiece of our ideal tech-for-human:

our mission is to create the smartest coffee machine, as well as the most intuitive to work with.

We are proud to present you with: The next Workstation.

## SOLID DESIGN

The entire machine is reinforced for unprecedented durability.

The materials are designed for strong usage and intuitive ergonomics.

## ONE STATION

FOR EVERY BEVERAGE.

Nuova Aurelia empowers baristas with a broader range of beverages that can be made automatically and intuitively thanks to an easy-to-use set of co-working technology solutions.

The new all-in-one system includes different coffee extractions, dairy and plant-based milk frothing options, and innovative automated dialogue between machine and grinder.



# SIMONELLI

**NUOVA AUR** 

## FULL AUTOMATION

#### FOR A FAST WORKFLOW

The same quality and consistency in every shop of your chain. Every step of the process can be automated and set to the same standards thanks to:

- Portafilter identification system
- Grinder and machine recipe communication
- Electronic knob Latte preset recipes
- E-steam
- E-Milk
- Autopurge
- Touchscreen display



## MACHINE AND GRINDER

#### ADAPT AUTOMATICALLY TO RECIPES

A solution to improve automation in a coffee station: every portafilter is linked to a specific recipe. The grinder and the machine are able to recognize the portafilter in order to select the correct dose automatically. The barista can work without fear of mistakes in doses or recipes, enabling smoother workflow and better productivity.

Plus, for the grinding process and brewing quality, datasharing between machine and grinder offers some automatic adjustments and provides useful feedback to the barista to guarantee consistent quality in the cup.

## CHOOSE

THE RECIPES FROM
THE ELECTRONIC KNOB.
SPEED UP THE PROCESS.

The new electronic knob replaces the old pushand-pull steam regulation system, making it easier and faster to use. It is made in aluminium and designed for maximum ergonomics. The barista can rotate or press the knob to adjust the purge intuitively.

The advanced option adds a display on the knob that shows recipes. Up to 9 recipes can be saved and customized by selecting temperature and air percentage. Each one is given a name or icon, for easy recognition by the user.

This technology has proved to be effective in speeding up the process, especially in coffeeshop chain environments.





## ELECTRONIC STEAM CONTROL

Nuova Aurelia introduces the E-Steam technology, the electronic steam control that's very easy to use.

The E-Steam technology delivers precisely the right amount of steam continuously, keeping up with demand at all times.

## E-MILK TECHNOLOGY

The totally new E-Milk technology enables automatic frothing of dairy and plant-based drinks at the right temperature and with the right dose of foam. Just press the new electronic knob to get the correct amount of milk cream for cappuccinos, flatwhites, americanos and lots of other drinks.

- Improved mobility. The steam wand is provided with greater mobility for frontal movement to ensure maximum ergonomics.
- Wand with special sensors

milk sensor that can perceive when the wand is immersed in milk, automatically activating frothing with the preferred recipe

resting position sensor enabling automatic purge when the wand is in a resting position and milk is not present

- The wand is made of a new polymer material and remains cool when in use providing safety and comfort for the barista.
- The barista can save up to 6 recipes directly from the touchscreen display for the automatic creation of many milk-based beverages.



## AESTHETIC AND ERGONOMIC

THAT ELEVATES YOUR BUSINESS.

Highly functional, and, at the same time aesthetically powerful.

Nuova Aurelia catches the eye of your customers conveying a feeling of trust, superior quality, and contemporary design in one look.

The visual customization options allow the machine to blend into every environment, adapting to your brand image.

## ENERGY SAVING

Nuova Aurelia has been designed to reduce energy loss and its carbon footprint, thanks to innovative technologies and an attentive evaluation of the production process.

**INSULATED BOILERS.** Boilers are made with a special insulation material to minimize heat loss and thus save energy.

**WEEKLY PROGRAMMING.** Daily on/off setting to reduce consumption.

**GROUP OFF-SWITCH** option for low times.

## **HIGH VERSATILITY**

## THE RIGHT OPTIONS FOR YOUR BUSINESS ARE UP TO YOU



#### 1 STATION FOR EVERY BEVERAGE 4 VERSIONS FOR DIFFERENT NEEDS:

01 **MP** 

Maximum control and temperature stability for every coffee extraction. Multiboiler system with MP technology.

02 **UX** 

improved synchronized multipreparation, ensuring high quality and consistency for every cup.

# VOLUMETRIC

strong performance and easy to use even for firsttime baristas.

# SEMI AUTOMATIC

the most simple version, granting high-quality

## **NUOVA AURELIA**

SIMONELLI

Nuova Aurelia MP grants maximum control and temperature stability for every coffee extraction.

## TECHNOLOGY SAME PERFORMANCE, LESS ENERGY CONSUMPTION

The MP (Maximum Performance) technology requires less energy, allowing for smaller boilers since only necessary water is heated. In addition, the boilers are insulated and coated with an innovative material that prevents heat loss and increases energy efficiency. The process is efficient, but also simple: the barista only has to set the temperature from the display. The machine's electronics do the rest, keeping the temperature stable during the entire dispensing phase.

Baristas can count on the same high performance level, while the business can benefit from reduced energy consumption.

## **NUOVA AURELIA**

Nuova Aurelia UX offers improved synchronized multi-preparation, ensuring high quality and consistency for every cup.

# TECHNOLOGY

The new engineering focuses on a single boiler heating system and a thermostatic mixer with an electronically heated group head, that stabilizes the temperature with low installed power and low technological complexity of a multiboiler system.

At the same time, the new UX (User Experience) technology ensures the autonomous thermal setting of each group, empowering fluid handling for the machine operator and enhancing the value of work through an amazingly full experience for customers.

Once the temperature has been set on each group, the operator's job is automated: the machine manages the rest, ensuring a steady temperature right to the end of the process.

# NUOVAAURELIA VOLUMETRIC

CONSISTENT PERFORMANCE, SIMPLIFIED MAINTENANCE AND GREAT EASE OF USE

The volumetric version has a volumetric control which can set the correct volume in the cup for each button.

NUOVA AURELIA VOLUMETRIC is available in two different versions:

- XT with touchscreen display and PID Control
- VOLUMETRIC



## NUOVA AURELIA SEMI AUTOMATIC

CONSISTENT PERFORMANCE, SIMPLIFIED MAINTENANCE AND GREAT EASE OF USE

The semiautomatic version has a manual control, so that the barista can stop brewing once the desidered dose has been reached.

NUOVA AURELIA SEMIAUTOMATIC is available in two different versions:

- XT with touchscreen display and PID Control
- SEMIAUTOMATIC



## COLOR PALETTE







## POSSIBLE UPGRADES

### 2 GROUPS TECHNICAL SHEET

UX

VERSION BODY	Material Color Piatto estraibile
BOILER	Steam Boiler Coffee boiler Insulation
TECHNOLOGIES	Pressostat MP Tech UX Tech SIS Soft Infusion System
GROUP	Groups height Led lights
STEAM	Autopurge E-Steam Electronic knob Cool touch steam wand Double wall steam wand E-Milk Pro
HOT WATER	Economizer Hot water dosage Temperature control
CUP WARMER	On/off electric
ELECTRONIC	Display touchscreen 2,8" Electronic knob dispaly Group display Automatic cleaning program Portafilter identification system Machine-grinder Communication PID Telemetry Kit
DIMENSION WEIGHT POWER	W x D x H mm Net/Gros Kg Voltage

Power

SEMI-AUTOMATIC	SEMI-AUTOMATIC XT
stainless steel + abs	stainless steel + abs
0 • • •	0 • • •
included	included
13	13
included	included
manual	digital
not included	not included
not included	not included
included	included
low or raised	low or raised
not included	optional
not included	optional
included	included
included	included
included	included
optional optional	optional optional
included	included
included	included
not included	optional
optional	optional
not included	included
only with E-Milk Pro	only with E-Milk Pro
not included	optional
included	included
not included	optional
not included	optional
not included	included
not included	optional
820x562x515mm	820x562x515mm
78/84	78/84
220-240V 50-60Hz	220-240V 50-60Hz
380-415V 50-60Hz	380-415V 50-60Hz
4700 W	4700 W

VOLUMETRIC stainless steel + ab ○ • • • included
included manual not included not included included
low or raised not included not included included included included optional optional
included included not included
optional not included only with E-Milk Pro not included included not included not included not included not included not included not included
820x562x515mm 78/84
220-240V 50-60H 380-415V 50-60Hz 4700 W

ıbs	VOLUMETRIC XT stainless steel + abs  ○ ● ●
	included 13
	included digital not included included not included
	low or raised optional included included included included optional optional
	included included optional
Pro	optional optional only with E-Milk Pro optional included optional included optional included optional
	820x562x515mm 78/84
Hz Hz	220-240V 50-60Hz 380-415V 50-60Hz
	4700 W

UA	MP
stainless steel + abs	stainless steel + abs
$\circ \bullet \bullet \bullet$	$\circ \bullet \bullet \bullet$
included	included
13	8
	0,3lt
included	included
digital	digital
not included	included
not included	not included
included	not included
low or raised	low or raised
optional	included
optional	included
included	included
included	included
included	included
optional	optional
optional	optional
included	included
included	included
optional	optional
optional	optional
included	included
only with E-Milk Pro	only with E-Milk Pro
optional	included
included	included
optional	optional
optional	optional
included	included
optional	optional
820x562x515mm	820x562x515mm
79/85	79/85
220-240V 50-60Hz	220-240V 50-60Hz
380-415V 50-60Hz	380-415V 50-60Hz
5300 W	6900 W

## POSSIBLE UPGRADES

#### 3 GROUPS TECHNICAL SHEET

VERSION		SEMI-AUTOMATIC	SEMI-AUTOMATIC XT
BODY	Material	stainless steel + abs	stainless steel + abs
	Color	0 • • •	○ • • •
	Piatto estraibile	included	included
BOILER	Steam Boiler Coffee boiler	16	16
	Insulation	included	included
TECHNOLOGIES	Pressostat MP Tech UX Tech SIS Soft Infusion System	manual not included not included included	digital not included not included included
GROUP	Groups height Led lights	low or raised not included	low or raised optional
STEAM	Autopurge E-Steam Electronic knob Cool touch steam wand Double wall steam wand E-Milk Pro	not included included included included optional optional	optional included included included optional optional
HOT WATER	Economizer Hot water dosage Temperature control	included included not included	included included optional
CUP WARMER	On/off electric	optional	optional
ELECTRONIC	Display touchscreen 2,8" Electronic knob dispaly Group display Automatic cleaning program Portafilter identification system Machine-grinder Communication PID Telemetry Kit	not included only with E-Milk Pro not included included not included not included not included not included	included only with E-Milk Pro optional included optional optional included optional
DIMENSION	W x D x H mm	1030x562x515mm	1030x562x515mm
WEIGHT	Net/Gros Kg	92/102	92/102
POWER	Voltage	220-240V 50-60Hz 380-415V 50-60Hz	220-240V 50-60Hz 380-415V 50-60Hz

5200 W

5200 W

VOLUMETRIC stainless steel + abs  ○ ● ● included 16	
included manual not included not included included	
low or raised not included not included included included included optional optional	
included included not included	
optional not included only with E-Milk Pro not included included not included not included not included not included not included	
1030x562x515mm 92/102	
220-240V 50-60Hz 380-415V 50-60Hz	

5200 W

VOLUMETRIC XT	UX
stainless steel + abs	stainles
<ul><li>○ • • •</li><li>included</li></ul>	○ • • included
16	16
10	10
included	included
digital	digital
not included	not incli
included	not incl
not included	included
low or raised	low or r
optional	optional
included	optional
included	included
included included	included included
optional	optional
optional	optional
included	included
included	included
optional	optional
optional	optional
optional	included
only with E-Milk Pro	only wit
optional	optional
included	included
optional optional	optional optional
included	included
optional	optional
1030x562x515mm	1030x5
92/102	94/104
220-240V 50-60Hz	220-24
380-415V 50-60Hz	380-415
5200 W	6100 W

ainless steel + abs	stainless steel + abs
cluded	included
cluded gital t included t included cluded	8 0,3lt included digital included not included not included
w or raised tional	low or raised included
tional cluded cluded tional tional tional cluded tional tional	included included included included optional optional included included optional
tional	optional
cluded ly with E-Milk Pro tional cluded tional cluded tional 30x562x515mm	included only with E-Milk Pro included included optional optional included optional 1030x562x515mm
./104 :0-240V 50-60Hz :0-415V 50-60Hz 00 W	94/104 220-240V 50-60Hz 380-415V 50-60Hz 8700 W
	•

Power





